

Adheseal

P.O. Box 3113 Stafford Old 4053
2 / 8 Harvton St Stafford Qld 4053
Phone (07) 3356 0000
Fax (07) 3356 0005

Safety Data

Page 1. of total 3
Date of issue 29/04/2009

Material Safety Data Sheet

Not Hazardous According to Criteria of Worksafe Australia

1. PRODUCT IDENTIFICATION.

PRODUCT NAME; **ALLFLEX 101**

USE; GENERAL PURPOSE WATER- BASED SEALANT

2. HAZARDOUS GOODS TRANSPORT INFORMATION

U.N. NUMBER	NOT APPLICABLE
CLASS	NOT APPLICABLE
HAZCHEM CODE	NOT APPLICABLE
PACKAGING GROUP	NOT APPLICABLE
SUBSIDIARY RISK	NOT APPLICABLE
EPG	NOT REQUIRED
POISONS SCHEDULE	NOT SCHEDULED

3. PHYSICAL DESCRIPTION / PROPERTIES.

APPEARANCE	VISCOUS PASTE
BOILING POINT	100° C WATER
MELTING POINT	0° C WATER
SPECIFIC GRAVITY	1.0-1.1
FLASH POINT	NOT APPLICABLE

6. PRECAUTIONS FOR USE;

- flamability - Not flammable in wet state, but dried film can burn.
- EXTINGUISHING MEDIA - Use extinguishing media appropriate for surrounding fire.

PERSONAL PROTECTION ;

- VENTILATION - Use local exhaust.
- RESPIRATORY - None required under normal operating conditions.
- PROTECTIVE GLOVES - Neoprene gloves recommended.
- EYE PROTECTION - Use chemical splash goggles.

7. SAFE HANDLING INFORMATION.

STORAGE AND TRANSPORT; Keep from freezing, product may coagulate.
Do not store above 50oC. No special transport requirements.

SPILL AND DISPOSAL; Collect any spills in suitable containers and dispose according to local, state and federal regulations.

FIRE / EXPLOSION HAZARD; Product is noncombustable.

CONTACT POINT;

Technical Manager: (07) 3356 0000

Prepared by M.G. Johnson
date: 29/04/2009