

# Adheseal

P.O. Box 3113 Stafford Old 4053  
2 / 8 Harvton St Stafford Qld 4053  
Phone (07) 3356 0000  
Fax (07) 3356 0005

## Safety Data

Page 1. of total 3  
Date of issue 08/09/2006

### Material Safety Data Sheet

**Not Hazardous According to Criteria of Worksafe Australia**

#### 1. PRODUCT IDENTIFICATION.

PRODUCT NAME; EVERFLEX JS  
USE; GENERAL PURPOSE WATER- BASED SEALANT

#### 2. HAZARDOUS GOODS TRANSPORT INFORMATION

U.N. NUMBER	NOT APPLICABLE
CLASS	NOT APPLICABLE
HAZCHEM CODE	NOT APPLICABLE
PACKAGING GROUP	NOT APPLICABLE
SUBSIDIARY RISK	NOT APPLICABLE
EPG	NOT REQUIRED
POISONS SCHEDULE	NOT SCHEDULED

#### 3. PHYSICAL DESCRIPTION / PROPERTIES.

APPEARANCE	VISCOUS PASTE
BOILING POINT	100° C WATER
MELTING POINT	0oC WATER
SPECIFIC GRAVITY	1.0-1.1
FLASH POINT	NOT APPLICABLE



**6. PRECAUTIONS FOR USE;**

- flamability - Not flammable in wet state, but dried film can burn.
- EXTINGUISHING MEDIA - Use extinguishing media appropriate for surrounding fire.

**PERSONAL PROTECTION ;**

- VENTILATION - Use local exhaust.
- RESPIRATORY- None required under normal operating conditions.
- PROTECTIVE GLOVES - Neoprene gloves recommended.
- EYE PROTECTION - Use chemical splash goggles.

**7. SAFE HANDLING INFORMATION.**

STORAGE AND TRANSPORT; Keep from freezing, product may coagulate.  
Do not store above 50oC. No special transport requirements.

SPILL AND DISPOSAL; Collect any spills in suitable containers and dispose according to local, state and federal regulations.

FIRE / EXPLOSION HAZARD; Product is noncombustable.

CONTACT POINT;

Technical Manager: (07) 3356 0000

Prepared by M.G. Johnson  
date: 22/07/2009